

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

(12) UK Patent Application (19) GB (11) 2 252 380 (13) A

(43) Date of A publication 05.08.1992

(21) Application No 9200654.3

(22) Date of filing 14.01.1992

(30) Priority data

(31) 4100837

(32) 14.01.1991

(33) DE

(71) Applicant

Volker Bertram
Robert-Bosch-Str 7, 7247, Sulz a.N.,
Federal Republic of Germany

(72) Inventor

Volker Bertram

(74) Agent and/or Address for Service

Abel & Imray
Northumberland House, 303-306 High Holborn,
London, WC1V 7LH, United Kingdom

(51) INT CL⁵

F16L 21/08 21/06

(52) UK CL (Edition K)

F2G G24A1

(56) Documents cited

GB 2199630 A

GB 2049087 A

GB 1457892 A

GB 0718411 A

GB 0663539 A

(58) Field of search

UK CL (Edition K): F2G G24A1 G24Z

INT CL⁵: A61M 16/00, F16L 21/06 21/08

(54) Adaptor for a tracheal tube

(57) An adaptor for a tracheal tube is proposed, whose connecting piece (3) for external resuscitation tubes passes in funnel-shaped manner into an inwardly located connecting tube (1). The connecting tube is surrounded by a clamping ring (4) in the area where the tracheal tube (2) is mounted and its clamping members (8) engage in self-locking or automatically interlocking manner on the tracheal tube (2) and prevents same from slipping from the connecting tube (1).




FIG. 1




FIG. 3




FIG. 4




FIG. 5

ADAPTOR WITH TRACHEAL TUBE

The invention relates to an adaptor with a tracheal tube according to the preamble of claim 1.

For the resuscitation of patients endotracheal tubes are connected via an adaptor to the resuscitation tubes leading to resuscitators or respirators. Therefore the adaptors form the connecting piece between an individual adapted endotracheal tube and the resuscitation tubes. As a function of the patient, the internal diameter of the endotracheal tubes can vary between 2 and 10 mm. There is often also a need of not only adapting the endotracheal tube diameter to the patient, but also its length. Thus, prior to intubation, the treating doctor or surgeon often has to cut the endotracheal tube to a desired length and then connect it to the adaptor.

Adaptors are known having a connecting tube on which the endotracheal tube is engaged. This connecting tube passes into a connecting piece to which the resuscitation tubes are connected. The connecting piece generally has an internal diameter of at least 10 mm. The connecting tube can have a conical outer wall, which passes in a very flat or shallow manner towards the mouth. On pushing on the endotracheal tube, the latter widens in accordance with the conical configuration of the connecting tube. This is intended to provide a good grip of the endotracheal tube on the connecting tube. However, disconnection problems occur with these known adaptors. As a result of saliva and the heat present in the oral cavity, the already soft material endotracheal tube becomes so soft that it can be detached from the adaptor connecting tube. It is therefore necessary to constantly check the correct seating of the endotracheal tube, because otherwise there is a risk of disconnection between the tube and the adaptor.

The problem of the invention is to so further develop an adaptor in accordance with the preamble, that a tracheal tube fitted by pushing on to the adaptor connecting tube is reliably connected to the adaptor.

diameter of the connecting piece tapers directly from the opening in funnel-shaped manner to the connecting tube within the connecting piece. This prevents undesired "dead spaces", so that optimum resuscitation or respiration is possible.

The invention is described in greater detail hereinafter relative to non-limitative embodiments and the attached drawings, wherein show:

- Fig. 1 An inventive adaptor with a fitted tracheal tube.
- Fig. 2 An adaptor with a partly straight connecting tube for the tracheal tube.
- Fig. 3 An adaptor with tracheal tube having a large internal diameter.
- Fig. 4 The cross-section through a clamping ring.
- Fig. 5 The front view of the clamping ring of Fig. 4.
- Fig. 6 A cross-section through a clamping ring for very large diameter tracheal tubes.
- Fig. 7 Another construction with a rectangular clamping part mounted on the connecting piece and in cross-section.
- Fig. 8 A front view of the clamping part of Fig. 7.
- Fig. 9 Another embodiment with a clamping ring engaging over the connecting piece in cross-section.
- Fig. 10 The front view of the clamping ring of Fig. 9.

The adaptor shown in Fig. 1 comprises a connecting tube 1, onto which is pushed a tracheal tube 2 and comprising a connecting piece 3 for fitting the here not shown resuscitation tubes and a clamping ring 4.

The connecting tube 1 has a conically widening outer wall and passes in the form of a funnel 6 to the diameter of the connecting piece 3.

The funnel opening 7 simultaneously forms the connecting opening of the connecting piece 3.

The clamping ring 4 has inwardly directed clamping tongues 8, which engage with their tip 9 in the wall 10 of the tracheal tube 2.

The construction of the clamping rings 4 is made clearer in Figs. 4 and 5. Two fastening tongues 11, 12 project laterally from the adaptor and to which can be fixed in the conventional manner a fastening band.

Fig. 2 shows an adaptor construction in cross-section, in which on its projecting end 13 the connecting tube 1 has a straight tube

C L A I M S

1. Adaptor with tracheal tube, which on the one hand has a connecting tube which can be inserted in the tracheal tube and on the other hand a connecting piece for the connection of resuscitation tubes, characterized in that on the part of the tracheal tube (2) located on the connecting tube (1) presses from the outside at least one clamping member (8) which yields on mounting the tracheal tube (2) and which secures the latter in self-locking or automatically interlocking manner against removal from the connecting tube (1) and that prior to the pushing on of the tracheal tube (2), the clamping members (8) have a smaller radial spacing from the connecting tube (1) than the wall thickness of the tracheal tube (2) to be pushed on.
2. Adaptor according to claim 1, characterized in that a clamping ring (4) with several clamping members (8) constructed as clamping tongues and directed at an acute angle inwards against the connecting tube (1) engage over the latter.
3. Adaptor according to claim 2, characterized in that the clamping ring (4) can be axially pushed onto the connecting tube (1) and is connectable to the adaptor in an end position.
4. Adaptor according to claim 3, characterized in that in the end position the clamping ring (4) locks on the adaptor.
5. Adaptor according to one of the preceding claims, characterized in that, as from its projecting end (13), the connecting tube (1) passes into an outwardly conically widening tube portion.
6. Adaptor according to one of the claims 1 to 4, characterized in that, as from its projecting end (13), the connecting tube (1) initially has a parallel front wall and then passes into a conically widening tube portion.
7. Adaptor according to one of the preceding claims, characterized in that the clamping members (8) segmentally surround an annular space (20) through which projects the connecting tube (1).

Patents Act 1977

Examiner's report to the Comptroller under
Section 17 (The Search Report)

Application number

9200654.3

Relevant Technical fields

(i) UK Cl (Edition K) F2G (G24A1; G24Z)

(ii) Int Cl (Edition 5) A51M 16/00; F16L 21/08, 21/06

Databases (see over)

(i) UK Patent Office

(ii)

Search Examiner

B J PROCTOR

Date of Search

6 MARCH 1992

Documents considered relevant following a search in respect of claims

1 AT LEAST

Category (see over)	Identity of document and relevant passages	Relevant to claim(s)
X	GB 2199630 A (PORTER) Eg Figure 5	1-4, 7 at least
X	GB 2049087 A (ERICSON) Eg teeth 14	1-4, at least
X	GB 1457892 A (GRIFFITHS) Eg Figure 4	1 & 5 at least
X	GB 718411 A (JOHNSON) Eg Figure 7a	1 & 5 at least
X	GB 663539 A (FISKER) Eg Figure 1	1-4 at least